

5

Fiber Selection FT / FD / FR

**A full line-up from general use fibers to special fibers.
You can select the most suitable fibers.**

Fiber Selection Guide

Choose by model

Thru-beam type

Model No.	Page	
	Sensing range Specifications	Dimensions
FT-140	P.15	P.63
FT-30	P.14	
FT-31	P.15	
FT-31S	P.22	
FT-31W	P.15	
FT-32	P.15	
FT-40	P.14	
FT-42	P.15	
FT-42S	P.22	
FT-42W	P.15	
FT-43	P.15	P.64
FT-45X	P.15	
FT-A11	P.15	
FT-A11W	P.15	
FT-A32	P.29	
FT-A32W	P.29	
FT-AL05	P.29	
FT-E13	P.20 / P.22	
FT-E23	P.20 / P.22	
FT-F93	P.42	
FT-H13-FM2	P.37	P.65
FT-H20-J20-S	P.37	
FT-H20-J30-S	P.37	
FT-H20-J50-S	P.37	
FT-H20-M1	P.37	
FT-H20-VJ50-S	P.37	
FT-H20-VJ80-S	P.37	
FT-H20W-M1	P.39	
FT-H30-M1V-S	P.39	
FT-H35-M2	P.37	
FT-H35-M2S6	P.37	P.66
FT-HL80Y	P.36	
FT-KS40	P.36	
FT-KV26	P.28	
FT-KV26H1	P.28	
FT-KV40	P.28	
FT-KV40W	P.28	
FT-L80Y	P.36	
FT-R31	P.18	
FT-R40	P.15	
FT-R41W	P.18	P.67
FT-R42W	P.18	
FT-R43	P.18	
FT-R44Y	P.18 / P.34	
FT-R60Y	P.20	
FT-S11	P.20	
FT-S20	P.14	
FT-S21	P.20	
FT-S21W	P.20	
FT-S22	P.20	
FT-S30	P.14	P.68
FT-S31W	P.20	
FT-S32	P.20	
FT-V23	P.22	
FT-V24W	P.22	
FT-V25	P.22	
FT-V30	P.20	
FT-V40	P.20	

Model No.	Page	
	Sensing range Specifications	Dimensions
FT-V80Y	P.36	P.68
FT-Z20HBW	P.24	
FT-Z20W	P.24	
FT-Z30	P.24	
FT-Z30E	P.24	
FT-Z30EW	P.24	
FT-Z30H	P.24	
FT-Z30HW	P.24	
FT-Z30W	P.24	
FT-Z40HBW	P.24	
FT-Z40W	P.24 / P.36	P.69
FT-Z802Y	P.24 / P.36	

Reflective type

Model No.	Page	
	Sensing range Specifications	Dimensions
FD-30	P.14	P.71
FD-31	P.16	
FD-31W	P.16	
FD-32G	P.16 / P.26 / P.27	
FD-32GX	P.16 / P.26 / P.27	
FD-34G	P.16	
FD-40	P.14	
FD-41	P.16	
FD-41S	P.22	
FD-41SW	P.22	
FD-41W	P.16	P.72
FD-42G	P.16 / P.26 / P.27	
FD-42GW	P.16 / P.26 / P.27	
FD-60	P.14	
FD-61	P.16	
FD-61G	P.16	
FD-61S	P.22	
FD-61W	P.16	
FD-62	P.16	
FD-64X	P.16	P.73
FD-A16	P.30	
FD-AL11	P.30	
FD-E13	P.20 / P.22	
FD-E23	P.20 / P.22	
FD-EG30	P.16 / P.26 / P.27	
FD-EG30S	P.22	
FD-EG31	P.16 / P.26 / P.27	
FD-F4	P.42	
FD-F41	P.42	
FD-F41Y	P.42	P.74
FD-F71	P.42	
FD-F8Y	P.42	
FD-FA93	P.42	
FD-H13-FM2	P.38	
FD-H18-L31	P.38	
FD-H20-21	P.38	
FD-H20-M1	P.38	
FD-H25-L43	P.38	
FD-H25-L45	P.38	
FD-H30-KZ1V-S	P.39	P.75

Retroreflective type

Model No.	Page	
	Sensing range Specifications	Dimensions
FR-KZ22E	P.28 / P.32	P.70
FR-KZ50E	P.28 / P.32	
FR-KZ50H	P.28 / P.32	
FR-Z50HW	P.28 / P.32	

Model No.	Page	
	Sensing range Specifications	Dimensions
FD-H30-L32	P.38	P.76
FD-H30-L32V-S	P.39	
FD-H35-20S	P.38	
FD-H35-M2	P.38	
FD-H35-M2S6	P.38	
FD-HF40Y	P.42	
FD-L10	P.31	
FD-L11	P.31	
FD-L12W	P.31	
FD-L20H	P.31	
FD-L21	P.31	P.77
FD-L21W	P.31	
FD-L22A	P.31	
FD-L23	P.31	
FD-L30A	P.31	
FD-L31A	P.31	
FD-L32H	P.31	
FD-R31G	P.31	
FD-R32EG	P.18 / P.26 / P.27	
FD-R33EG	P.18 / P.26 / P.27	P.78
FD-R34EG	P.18 / P.26 / P.27	
FD-R41	P.18	
FD-R60	P.16	
FD-R61Y	P.18 / P.34	
FD-S21	P.20	
FD-S30	P.14	
FD-S31	P.20	
FD-S32	P.20	
FD-S32W	P.20	P.79
FD-S33GW	P.20	
FD-S34G	P.20	
FD-S60Y	P.36	
FD-V30	P.22	
FD-V30W	P.22	
FD-V50	P.22	
FD-Z20HBW	P.24	
FD-Z20W	P.24	
FD-Z40HBW	P.24	P.80
FD-Z40W	P.24	
FD-Z50HW	P.28	

Fiber Selection Guide

Reflective type

Old fiber Model No.	New fiber Model No.	Page	
		Sensing range Specifications	Dimensions
FD-A15	FD-A16	P.30	P.73
FD-AFM2	FD-AL11		
FD-AFM2E			
FD-B8	FD-62	P.16	
FD-E12	FD-E13	P.20 / P.22	
FD-E22	FD-E23		
FD-EG1	FD-EG30	P.16 / P.26 / P.27	P.74
FD-EG2	FD-EG31		
FD-EG3			
FD-EN500S1	FD-EG30S	P.22	
FD-ENM1S1			
FD-F705	FD-F71	P.42	
FD-FA90	FD-FA93		
FD-FM2	FD-61	P.16	P.72
	FD-61G		
FD-FM2S	FD-61S	P.22	
FD-FM2S4			
FD-G4	FD-42G	P.16 / P.26 / P.27	P.71
FD-G6	FD-32G		
FD-G6X	FD-32GX		
FD-L4	FD-L20H	P.31	P.77
FD-L41	FD-L21		
FD-L43	FD-L22A		
FD-L44	FD-L11		
FD-L44S	FD-L10		
FD-L45	FD-L30A		
FD-L45A	FD-L31A		
FD-L46	FD-L32H		
FD-L47	FD-L23		
FD-NFM2	FD-41		P.16
FD-NFM2S	FD-41S	P.22	
FD-NFM2S4			
FD-P2	FD-S21	P.20	P.78
FD-P40	FD-31	P.16	P.71
FD-P50	FD-S32	P.20	P.79

Old fiber Model No.	New fiber Model No.	Page	
		Sensing range Specifications	Dimensions
FD-P60	FD-41	P.16	P.71
FD-P80	FD-61		P.72
FD-P81X	FD-64X		P.73
FD-R80	FD-R60		P.78
FD-S80	FD-S32	P.20	P.79
FD-SFM2SV2	FD-V50	P.22	P.80
FD-SNFM2	FD-S31	P.20	P.79
FD-T40	FD-31	P.16	P.71
FD-T80	FD-61		P.72
	FD-41		P.71
FD-V41	FD-V30	P.22	P.79
FD-W44	FD-41S		P.71
	FD-41SW		
FD-W8	FD-61	P.16	P.72
	FD-61W		P.73
FD-WG4	FD-42G	P.16 / P.26 / P.27	P.72
	FD-42GW		
FD-WKZ1	FD-Z50HW	P.28	P.80
FD-WL41	FD-L21	P.31	P.77
	FD-L21W		
FD-WL48	FD-L12W	P.20	P.79
FD-WS8	FD-S32		
	FD-S32W		
FD-WSG4	FD-S33GW	P.16	P.71
FD-WT4	FD-31		
	FD-31W		
FD-WT8	FD-41	P.22	P.72
	FD-41W		P.79
FD-WV42	FD-V30	P.24	P.80
	FD-V30W		
FD-WZ4	FD-Z20W		
FD-WZ4HB	FD-Z20HBW		
FD-WZ7	FD-Z40W	P.24	P.80
FD-WZ7HB	FD-Z40HBW		

DIMENSIONS (Unit: mm in)

Reflective type fibers




Refer to the **FX-500** series (p.109), **FX-550** series (p.118), **FX-100** series (p.131) for dimensions of the amplifiers.
The CAD data can be downloaded from our website.

Dimensions are listed in the order of thru-beam type, retroreflective type, and reflective type, and in alphabetic order of the Model No.

FD-61W

Free-cut


<with FX-AT3>




FD-62

Free-cut

<with FX-AT3>




FD-64X



FD-A16

Free-cut


<with FX-AT3>




FD-AL11

Free-cut


<with FX-AT3>




FD-E13



FD-E23



FD-EG30





GLOBAL INDUSTRIAL AUTOMATION SOURCING

Ready to source this part?

Ask for availability, pricing and delivery options.

Request a fast quote

Include the product title and any required part number or quantity.

EMAIL

info@apterpower.com

PHONE

+86 18106909650

CHAT ON WHATSAPP >



SCAN TO CHAT ON WHATSAPP

PRODUCT: FD-AL11 / Wide Beam Reflective Fiber

The enclosed manufacturer pages are reproduced without alteration to technical content.

Apter Power is not an authorized distributor, reseller or representative of the products featured.

Product names, trademarks, brands and logos remain the property of their respective owners.