SIEMENS

Data sheet 6ES7365-0BA01-0AA0



Figure similar

spare part SIMATIC S7-300, connection IM 365 for connection of an extension rack, without communications bus, 2 modules+ connecting cable 1 m

Input current	
from backplane bus 5 V DC, max.	100 mA
Power loss	
Power loss, typ.	0.5 W
Hardware configuration	
Number of interfaces per CPU, max.	1; 1 pair
Dimensions	
Width	40 mm
Height	125 mm
Depth	120 mm
Weights	
Weight, approx.	580 g

Classifications

	Version	Classification
eClass	16	27-24-22-08
eClass	14	27-24-22-08
eClass	12	27-24-22-08
eClass	9.1	27-24-22-08
eClass	9	27-24-22-08
eClass	8	27-24-22-08
eClass	7.1	27-24-22-08
eClass	6	27-24-22-08
ETIM	10	EC001423
ETIM	9	EC001423
ETIM	8	EC001423
ETIM	7	EC001423
IDEA	4	3564
UNSPSC	15	32-15-17-05

Approvals / Certificates

General Product Approval

CE EG-Konf. UKCA Manufacturer Declaration UL RCM EAC

Subject to change without notice
© Copyright Siemens

General Product Approval	EMV	For use in hazardous locations			
Manufacturer Declaration	RCM	ATEX	FM	UL	IECEx

For use in hazardous locations			Maritime application		
ATEX	Miscellaneous	CCC-Ex	ABS	BUREAU VERITAS	DNV

Maritime application				
LRS	NK / Nippon Kaiji Kyokai	PRS	RINA	CCS (China Classification Society)

last modified: 4/7/2025

Subject to change without notice
© Copyright Siemens

Apter Power

Industrial automation component support

Need exact-model support?

6ES7365-0BA01-0AA0

SIMATIC S7-300 IM 365 Interface Module Set

Contact Apter Power to review the complete model marking, installed system context, document scope and quotation requirements.

Please include cabinet photos, revision labels and required delivery details when available. Compatibility is confirmed from the exact installed record.

Support Centre

https://www.apter.com/Support-Centre

Source pages reproduced from: Siemens product data sheet

This inquiry page was added by Apter Power; source technical pages remain unchanged.